


# Open Source MANO


---

OSM Hackfest – Session 2  
Creating a basic VNF and NS  
Benjamín Díaz (Whitestack)  
Guillermo Calviño (Altran)

# NS diagram




# VNF diagram



# Creating the VNF with the client

- git clone <https://osm.etsi.org/gerrit/osm/devops.git> devops
- Generate skeleton folder (VNF with only 1 VDU)
  - devops(descriptor-packages/tools/generate\_descriptor\_pkg.sh -t vnfd --image ubuntu1604 -c hackfest-basic
- Go to hackfest-simple\_vnfd folder and edit the descriptor:
  - Use the IM tree representation of VNFD as a reference:
    - <http://osm-download.etsi.org/ftp/osm-doc/vnfd.html>
  - Descriptor language is YAML:
    - Indentation is part of the markup
    - Use always the same indentation characters (TAB, 4 spaces, 2 spaces)
      - Recommendation: 2 spaces is the preferred indentation

# VNF diagram



# Editing the VNF descriptor

```
vnfd:  
- id: hackfest-basic_vnfd  
  name: hackfest-basic_vnfd  
  ...  
  mgmt-interface:  
    cp: vnf-cp0  
vdu:  
- id: hackfest-basic_vnfd-VM  
  name: hackfest-basic_vnfd-VM  
  vm-flavor:  
    vcpu-count: 1  
    memory-mb: 1024  
    storage-gb: 10  
  image: ubuntu1604  
  interface:  
    - name: eth0  
      virtual-interface:  
        type: VIRTIO  
        ...  
        external-connection-point-ref: vnf-cp0  
  connection-point:  
- name: vnf-cp0  
  ...
```

# OSM Information Model

- Information Model

- [https://osm.etsi.org/wikipub/index.php/OSM\\_Information\\_Model](https://osm.etsi.org/wikipub/index.php/OSM_Information_Model)

Path	Type	Module	Container	Config	Current	Path
vnfd	module					
vnfd-catalog	container					
schema-version	leaf	string		config	current	/vnfd:vnfd-catalog
vnfd[id]	list			config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:schema-version
jp-profiles[name]	list			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:ip-profiles
connection-point[name]	list			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point
name	leaf	string		config	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point/vnfd:name
id	leaf	string		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point/vnfd:id
short-name	leaf	string		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point/vnfd:short-name
type	leaf	manotypes:connection-point-type		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point/vnfd:type
port-security-enabled	leaf	boolean		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point/vnfd:port-security-enabled
internal-vld-ref	leaf	leafref		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:connection-point/vnfd:internal-vld-ref
vdu[id]	list			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu
interface[name]	list			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface
name	leaf	string		config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:name
position	leaf	uint32		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:position
mgmt-interface	leaf	boolean		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:mgmt-interface
type	leaf	interface-type		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:type
mac-address	leaf	string		config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:mac-address
(connection-point-type)	choice			config	Choice	current /vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface
:(internal)	case			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface
:(external)	case			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface
external-connection-point-ref	leafref		leafref	config ?	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:external-connection-point-ref
virtual-interface	container			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:interface/vnfd:virtual-interface
volumes[name]	list			config	current	/vnfd:vnfd-catalog/vnfd:vnfd:vdu/vnfd:volumes

# Validate the VNF descriptor and generate VNF package

- [https://osm.etsi.org/wikipub/index.php/Creating your own VNF package#Validate descriptors](https://osm.etsi.org/wikipub/index.php/Creating_your_own_VNF_package#Validate_descriptors)
- The first time we need to install the python OSM IM package:

```
curl "https://osm-download.etsi.org/repository/osm/debian/ReleaseFIVE/OSM%20ETSI%20Release%20Key.gpg" | sudo apt-key add - && sudo  
apt-get update && sudo add-apt-repository -y "deb [arch=amd64] https://osm-download.etsi.org/repository/osm/debian/ReleaseFIVE  
stable IM osmclient devops"  
  
# Install/update python-osm-im and its dependencies  
sudo apt-get update  
sudo apt-get install python-osm-im  
sudo -H pip install pyangbind
```

- Validate VNF descriptor (**from parent folder**)

- devops/descriptor-packages/tools/validate\_descriptor.py <DESCRIPTOR\_FILE>


- Generate VNF package (**from parent folder**)

- devops/descriptor-packages/tools/generate\_descriptor\_pkg.sh -t vnfd -N <VNFD\_FOLDER>

# Creating the NS with the client

- Generate skeleton folder (NS with only 1 VNF)
  - `devops/descriptor-packages/tools/generate_descriptor_pkg.sh -t nsd -c hackfest-basic`
- Go to `hackfest-basic_nsd` folder and edit the descriptor:
  - Use the IM tree representation of NSD as a reference:
    - <http://osm-download.etsi.org/ftp/osm-doc/nsd.html>
  - Descriptor language is YAML:
    - Indentation is part of the markup
    - Use always the same indentation characters (TAB, 4 spaces, 2 spaces)
      - Recommendation: spaces preferred over tab

# NS diagram



# Editing the NS descriptor

```
nsd:  
- id: hackfest-basic_nsd  
  name: hackfest-basic_nsd  
  ...  
  constituent-vnfd:  
    - member-vnf-index: 1  
      vnf-id-ref: hackfest-basic_vnfd  
vld:  
- id: mgmtnet  
  name: mgmtnet  
  type: ELAN  
  mgmt-network: true  
  vnf-connection-point-ref:  
    - member-vnf-index-ref: 1  
      vnf-connection-point-ref: vnf-cp0  
      vnf-id-ref: hackfest-basic_vnfd
```

# Validate the NS descriptor and generate NS package

- [https://osm.etsi.org/wikipub/index.php/Creating your own VNF package#Validate descriptors](https://osm.etsi.org/wikipub/index.php/Creating_your_own_VNF_package#Validate_descriptors)
- The first time we need to install the python OSM IM package:

```
curl "https://osm-download.etsi.org/repository/osm/debian/ReleaseFIVE/OSM%20ETSI%20Release%20Key.gpg" | sudo apt-key add - && sudo apt-get update && sudo add-apt-repository -y "deb [arch=amd64] https://osm-download.etsi.org/repository/osm/debian/ReleaseFIVE stable IM osmclient devops"

# Install/update python-osm-im and its dependencies
apt-get update
apt-get install python-osm-im
sudo -H pip install pyangbind
```

- Validate NS descriptor (**from parent folder**)

- devops/descriptor-packages/tools/validate\_descriptor.py <DESCRIPTOR\_FILE>

- Generate NS package (**from parent folder**)

- devops/descriptor-packages/tools/generate\_descriptor\_pkg.sh -t nsd -N <NSD\_FOLDER>

# Before the deployment

## Adding VNF and NS packages




- VNF package:
  - osm vnfd-list
  - osm vnfd-create hackfest-basic\_vnfd.tar.gz
  - osm vnfd-show hackfest-basic\_vnfd
  - osm vnfd-delete ...
- NS package:
  - osm nsd-list
  - osm nsd-create hackfest-basic\_nsd.tar.gz
  - osm nsd-show hackfest-basic\_nsd
  - osm nsd-delete ...

# Deploying NS with the client

- osm ns-list
- osm ns-create --ns\_name hf-basic --nsd\_name hackfest-basic\_nsd \  
--vim\_account <VIM\_ACCOUNT\_NAME>|<VIM\_ACCOUNT\_ID> \  
--ssh\_keys <KEY1\_PUBKEY\_FILE> \  
--config '{vld: [ {name: mgmtnet, vim-network-name: MGMT\_NET} ] }'
- osm ns-show hf-basic
- osm ns-delete hf-basic
- Check VNF instances to see the instance and get the mgmt IP address of the VNF
  - osm vnf-list
  - osm vnf-show ...
- Connect to the VNF:
  - ssh -i PRIV\_KEY\_FILE ubuntu@<IP>

# Deploying NS with the UI

- Go to NS packages. In hackfest1-ns, click in “Actions: Instantiate NS”
- Complete the form
  - Add a name to the NS instance
  - Select the Datacenter where the NS will be deployed
  - Specify in the config section a default VIM network name to map “mgmtnet”:
    - {vld: [ {name: mgmtnet, vim-network-name: PUBLIC} ] }
  - Paste your SSH key
- Go to VNF instances to see the instance and get the mgmt IP address of the VNF, then connect to the VNF:
  - ssh -i <priv\_key> ubuntu@<IP>



# Open Source MANO

---

Find us at:

[osm.etsi.org](http://osm.etsi.org)  
[osm.etsi.org/wikipub](http://osm.etsi.org/wikipub)