


Open Source  
MANO


---

OSM#9 Hackfest  
Day 2 PNF Operations

David Garcia, Dominik Fleischmann, Mark Beierl (Canonical)

# Physical Network Function





# VyOS Config

- Charm:
  - Name: vyos-config
  - Type: proxy charm
  - Actions:
    - Configure remote: Allow traffic from a specific IP (magma vEPC)

# VNFD: VyOS Config

- VNF Configuration: Configure and operate your VNF.
  - Initial config primitive: Only the config primitive
  - Config primitive:
    - Configure remote: Set the magma IP to forward the traffic there.

```
vnf-configuration:  
  juju:  
    charm: vyos-config  
  initial-config-primitive:  
    - name: config  
      seq: '1'  
      parameter:  
        - name: ssh-username  
          value: osm  
        - name: ssh-password  
          value: osm2020  
        - name: ssh-hostname  
          value: <rw_mgmt_ip>  
  config-primitive:  
    - name: configure-remote  
      parameter:  
        - name: magmaIP  
          data-type: STRING  
          default-value: '0.0.0.0'
```



Open Source  
**MANO**

# Diving into the Charm vyos-config

# Go to the workspace

- Change directory

```
$ cd ~/june_2/  
$ ll  
hackfest_gateway_vnfd  hackfest_magma-agw-enb_nsd  hackfest_magma-agw-enb_vnfd
```

# Deployment parameters

- params.yaml

```
additionalParamsForVnf:  
  - member-vnf-index: 'MagmaAGW+srsLTE'  
    additionalParams:  
      agw_id: 'agw_02'  
      agw_name: 'AGW2'  
      orch_ip: '172.21.251.x' ## change this to your assigned address  
      orch_net: 'osmnet'
```

# Build and instantiate packages

- Build:

```
osm nfpkg-create ~/june_2/hackfest_gateway_vnfd
osm nfpkg-create ~/june_2/hackfest_magma-agw-enb_vnfd
osm ns pkg-create ~/june_2/hackfest_magma-agw-enb_nsd
```

- Instantiate:

```
osm ns-create --ns_name magmaAGW_X --nsd_name hackfest_magma-agw-enb_nsd
--vim_account hackfest --config_file params.yaml
```

# Wait until is deployed

- See network services:

```
osm ns-list
```

- Show how charms progress:

```
juju switch <ns_id>
watch -c juju status --color
```

# Check day-1 actions

- Show actions

```
juju show-action-status
```

# Execute day-2 actions: EnodeB + UE

- Initiate radio:

```
osm ns-action magmaAGW_X --vnf_name "MagmaAGW+srsLTE" --vdu_id srsLTE-vdu
--action_name register --params '{mme-addr: "192.168.100.254", gtp-bind-addr:
"192.168.100.10", s1c-bind-addr: "192.168.100.10"}'
```

- Attach UE Emulator:

```
osm ns-action magmaAGW_X --vnf_name "MagmaAGW+srsLTE" --vdu_id srsLTE-vdu
--action_name attach-ue --params '{usim-imsi: "72207000000008", usim-k:
"c8eba87c1074edd06885cb0486718341", usim-opc:
"17b6c0157895bcaa1efc1cef55033f5f"}'
```

# Execute day-2 actions: PNF

- Get Magma IP

	magmaAGW_56-MagmaAGW+srsL TE-magma-agw-vdu-1	magma101_ hf9	sgi 192.168.239.37
□			magmaAGW_56- internalS1 192.168.100.254
			osm-ext 172.21.248.72

- Attach UE Emulator:

```
osm ns-action magmaAGW_X --vnf_name "VYOS-PNF" --action_name configure-remote  
--params '{magmaIP: "IP_Magma"}'
```

# Checks

- Check MME logs

```
osm vnf-list
ssh magma@<ip> # passwd=magma
tail -f /var/log/mme.log
```

- Magma Orch UI: admin@magma.test/password1234

```
VNFID=`osm vnf-list | grep orc8r | awk '{ print $2 }'``
osm vnf-show $VNFID --kdu orc8r > vnf-show.txt
MAGMAIP=`cat vnf-show.txt | grep nginx-proxy | grep "LoadBalancer" | awk '{
print $4 }'``
echo Magma web interface is https://$MAGMAIP
```


# Clean up

- Detach and unregister:

```
osm ns-action magmaAGW_X --vnf_name "MagmaAGW+srsLTE" --vdu_id srsLTE-vdu
--action_name detach-ue
osm ns-action magmaAGW_X --vnf_name "MagmaAGW+srsLTE" --vdu_id srsLTE-vdu
--action_name unregister
```

- Remove NS and packages:

```
osm ns-delete magmaAGW_X
osm nsd-delete hackfest_magma-agw-enb_nsd
osm vnfd-delete hackfest_magma-agw-enb_vnfd
```



# Open Source MANO

---

Find us at:

[osm.etsi.org](http://osm.etsi.org)  
[osm.etsi.org/wikipub](http://osm.etsi.org/wikipub)