

Open Source
MANO

OSM Hackfest - Session 5
Adding day-1/day-2 configuration to your VNF
Creating your first proxy charm

Adam Israel, Canonical
Gerardo García, Telefónica

What is Juju?

- Juju is an open source modeling tool, composed of a controller, models, and charms, for operating software in the cloud.
- Juju can handle configuration, relationships between services, lifecycle and scaling.
- This ensures that common elements such as databases, messaging systems, key value stores, logging infrastructure and other 'glue' functions are available as charms for automatic integration, reducing the burden on vendors and integrators.


What is a Charm?

- A charm is a collection of software containing all of the logic to install, configure, and scale cloud-based applications in a repeatable and reliable way.
- Charms are installed on a machine, running a cloud image, and handle the full lifecycle of an application, including day-0, day-1, and day-2 config.
- But...


- OSM Release THREE* uses “proxy charms”, where the charm is installed into an LXD container, and is only responsible for day-1 and day-2 configuration, executed remotely (typically via ssh).
- Don’t worry! Proxy charm support is being expanded to support more features of full charms, and will still be supported in future releases.

* Full charm support is a feature targeted at R4.

Here is a simple diagram showing how a proxy charm fits into the OSM workflow:



- A VNF package is instantiated via the SO
- The SO requests a virtual machine from the RO
- The RO instantiates a VM with your VNF image
- The SO instructs the VCA to deploy a VNF proxy charm, and tells it how to access your VM (hostname, user name, and password)



Open Source
MANO

Preparing your development environment

Install the charm tools

Install charm tools via snap:

```
$ sudo snap install charm  
charm 2.2.3 from 'charms' installed
```

```
$ charm version
```

```
charm 2.2.2  
charm-tools 2.2.3
```

Setup your Charming environment

Create the directories we'll use for our charm:

```
mkdir -p ~/charms/layers
```

Tell the charm command where our workspace is (for best results, add this to ~/.bashrc):

```
export JUJU_REPOSITORY=~/charms
```





Open Source
MANO

Understanding charms

- The *Reactive* programming pattern that allows a charm to respond to changes in state, including lifecycle events, in an asynchronous way.
- Lifecycle events may tell the charm to install, start, or stop an application, to perform leadership election, to collect metrics, or to upgrade the charm itself.

- Layers are encapsulations of charm code that lend themselves to being reused across charms.
- The Base layer contains the core code needed for other layers to function.
- Vnfproxy is a runtime layer which provides common functionality to interoperate with a VNF.
- Simple is the charm layer containing code to manage *your* vnf.



Creating a VNF Proxy charm

```
# Change into the layers folder
```

```
$ cd $JUJU_REPOSITORY/layers
```

```
# Invoke the charm command to create a charm layer  
called 'simple'
```

```
$ charm create simple
```

```
$ cd simple
```

Anatomy of a charm layer

To the right is the contents of your simple charm.

For the purposes of this example, we will ignore the struck-through files.

```
$JUJU_REPOSITORY/layers
└── simple
    ├── config.yaml
    ├── icon.svg
    ├── layer.yaml
    ├── metadata.yaml
    ├── reactive
    │   └── simple.py
    ├── README.ex
    └── tests
        ├── 00-setup
        └── 10-deploy
```

Anatomy of a layer

`layer.yaml` defines which base and runtime layers your charm depends on.

Edit `layer.yaml` to include the `vnfproxy` layer:

```
includes: ['layer:basic', 'layer:vnfproxy']
```

```
$JUJU_REPOSITORY/layers
└── simple
    ├── config.yaml
    ├── icon.svg
    ├── layer.yaml
    ├── metadata.yaml
    ├── reactive
    │   └── simple.py
    ├── README.ex
    └── tests
        ├── 00-setup
        └── 10-deploy
```

Anatomy of a layer

Edit `metadata.yaml` with the name and description of your charm:

```
name: simple
summary: A simple VNF proxy charm
maintainer: Name <user@domain.tld>
subordinate: false
series: ['xenial']
```

```
$JUJU_REPOSITORY/layers
└── simple
    ├── config.yaml
    ├── icon.svg
    ├── layer.yaml
    ├── metadata.yaml
    ├── reactive
    │   └── simple.py
    ├── README.ex
    └── tests
        ├── 00-setup
        └── 10-deploy
```

Building your first charm

```
$ charm build
```

```
build: Destination charm directory: ~/charms/builds/simple
```

```
build: Please add a `repo` key to your layer.yaml, with a url from which your layer can be cloned.
```

```
build: Processing layer: layer:basic
```

```
build: Processing layer: layer:sshproxy
```

```
build: Processing layer: layer:vnfproxy
```

```
build: Processing layer: simple (from .)
```

```
proof: W: Includes template README.ex file
```

```
proof: W: README.ex includes boilerplate: Step by step instructions on using the charm:
```

```
proof: W: README.ex includes boilerplate: You can then browse to http://ip-address to configure the service.
```

```
proof: W: README.ex includes boilerplate: - Upstream mailing list or contact information
```

```
proof: W: README.ex includes boilerplate: - Feel free to add things if it's useful for users
```

```
proof: I: all charms should provide at least one thing
```


Examining the compiled charm

The `charm build` command takes all of the layers defined in layer.yaml, combines them into a single charm, and caches the dependencies in the `wheelhouse` directory for faster installation.

```
$ ls $JUJU_REPOSITORY/builds/simple
```

actions	bin	copyright	hooks	layer.yaml	Makefile
reactive	README.md	simple	tox.ini	actions.yaml	config.yaml
deps	icon.svg	lib	README.ex	metadata.yaml	tests
requirements.txt		wheelhouse			

Adding an action

Actions are functions that can be called automatically when a VNF is initialized or on-demand by the operator. In OSM terminology, we know these as config primitives.

Define an action

Let's create `actions.yaml` in the root of the simple charm:

```
touch:
  description: "Touch a file on the VNF."
  params:
    filename:
      description: "The name of the file to touch."
      type: string
      default: ""
  required:
    - filename
```

Create the action handler

\$ mkdir actions

Create `actions/touch`, with the contents to the right.

When you're done, mark the script executable:

\$ chmod +x actions/touch

```
#!/usr/bin/env python3
import sys
sys.path.append('lib')
from charms.reactive import main, set_state
from charmhelpers.core.hookenv import action_fail,
action_name

set_state('actions.{}'.format(action_name()))

try:
    main()
except Exception as e:
    action_fail(repr(e))
```

Note: The same content has to be used for every action in the charm layer. It is only a boilerplate script to invoke the reactive framework

Handle the action

Edit
`reactive/simple.py`.

This is where all
reactive states are
handled.

```
from charmhelpers.core.hookenv import (  
    action_get,  
    action_fail,  
    action_set,  
    status_set,  
)  
  
from charms.reactive import (  
    remove_state as remove_flag,  
    set_state as set_flag,  
    when,  
    when_not,  
)  
import charms.sshproxy
```

Handle the action

Edit
`reactive/simple.py`.

This is where all
reactive states are
handled.

```
# Set the charm's state to active so the SO knows
# it's ready to work.
@when_not('simple.installed')
def install_simple_proxy_charm():
    set_flag('simple.installed')
    status_set('active', 'Ready!')
```

Handle the action

Edit
`reactive/simple.py`.

This is where all
reactive states are
handled.


```
# Define what to do when the `touch` primitive is invoked.
@when('actions.touch')
def touch():
    err = ''
    try:
        filename = action_get('filename')
        cmd = ['touch {}'.format(filename)]
        result, err = charms.sshproxy._run(cmd)
    except:
        action_fail('command failed:' + err)
    else:
        action_set({'output': result})
    finally:
        remove_flag('actions.touch')
```

Note: For every action in the charm layer you need to add a `@when` decorator and the function to be run

That's it!

We're ready to compile the charm with our new action:

\$ charm build




Open Source
MANO

Adding Charms to your VNF Descriptor

With subtitle

External Connection point: vnf-mgmt

External Connection point: vnf-data



Generate the skeleton of the VNF Package and write the VNF descriptor

Create a skeleton folder with all the files required for a single-VM VNF package

```
./devops/descriptor-packages/tools/generate_descriptor_pkg.sh -t vnfd  
--image hackfest3-mgmt -c hackfest_3charmed
```

Go into the VNF folder and write the VNF descriptor 'hackfest_3charmed_vnfd.yaml'. To save time, replace the auto-generated descriptor by this one:

https://osm-download.etsi.org/ftp/osm-3.0-three/2nd-hackfest/other/hackfest_3charmed_vnfd.yaml

Add the vnf-configuration section, as seen to the right, to the end of your descriptor, with the same level of indentation as the name of the VNF.

`initial-config-primitive` defines the primitives run at day-1, when the charm is instantiated.

`config-primitive` defines the primitives available to run as day-2 configuration.

```
name: 'myvnf'  
...  
vnf-configuration:  
    initial-config-primitive:  
    config-primitive:  
    juju:  
        charm: simple
```

Fill in the initial-config-primitive section. The <rw_mgmt_ip> token will be replaced with the IP address of your VM, allowing the charm to ssh to it.

```
initial-config-primitive:
-   seq: '1'
    name: config
    parameter:
      -   name: ssh-hostname
          value: <rw_mgmt_ip>
      -   name: ssh-username
          value: ubuntu
      -   name: ssh-password
          value: osm4u
-   seq: '2'
    name: touch
    parameter:
      -   name: filename
      -   value: '/home/ubuntu/first-touch'
```

Fill in the config-primitive section. This defines the primitive(s) available to run by the operator.

```
config-primitive:
-   name: touch
    parameter:
      -   name: filename
          data-type: STRING
          default-value: '/home/ubuntu/touched'
```

Validate your VNF descriptor

Use the validation tool to check that the descriptor is syntactically correct:

```
./devops/descriptor-packages/tools/upgrade_descriptor_version.py --test  
<VNF_DESCRIPTOR_FILE>
```


If an error message is shown, review the descriptor and validate again. Otherwise, the descriptor is syntactically correct.

Complete your VNF Package with the charm, the cloud-init file and the logo

- Copy your compiled charm to descriptor folder (e.g. ~/hackfest_3charmed_vnfd)
 - `cp -r ~/charms/builds/simple ~/hackfest_3charmed_vnfd/charms`
- Download the logo and copy it into the 'icons' folder:
 - <https://osm-download.etsi.org/ftp/osm-3.0-three/2nd-hackfest/other/osm.png>
- Download the cloud-config file and copy it into the 'cloud_init' folder:
 - <https://osm-download.etsi.org/ftp/osm-3.0-three/2nd-hackfest/other/cloud-config.txt>

Generate the VNF package and upload it to the UI

- Generate the VNF Package .tar.gz
 - `~/devops/descriptor-packages/tools/generate_descriptor_pkg.sh -t vnfd -N hackfest_3charmed_vnfd`
Note: the argument -N is important if you want to keep the package folder and files after creating the package.
- Upload `hackfest_3charmed_vnfd.tar.gz` to OSM UI




Open Source
MANO

Create NS, instantiate
and run config primitives

With subtitle

NS diagram

Changes highlighted in yellow



Deploying NS in the UI


- Go to Launchpad > Instantiate
- Select hackfest3charmed-ns and click Next
- Complete the form
 - Add a name to the NS
 - Select the Datacenter where the NS will be deployed
 - Add SSH key
- Go to the dashboard to see the instance and get the mgmt IP address of the VNF
- Connect to each VNF:
 - `ssh ubuntu@<IP>`
- Check that the cloud-config file was executed;
 - The file `/home/ubuntu/first-touch` should exist

- Check that the initial-config-primitive was executed
 - File `/home/ubuntu/first-touch` should have been created
- Go to Launchpad -> Dashboard, and open the NS instance.
- Click on a VNF, run the VNF config primitive 'touch' from the dashboard, and check that the corresponding file is created.

- Juju
 - <https://jujucharms.com/>
- Charm Developers Guide
 - <https://jujucharms.com/docs/2.3/developer-getting-started>
- Creating a VNF Charm
 - [https://osm.etsi.org/wikipub/index.php/Creating_your_own_VNF_charm_\(Release_THREE\)](https://osm.etsi.org/wikipub/index.php/Creating_your_own_VNF_charm_(Release_THREE))
- Creating a VNF Package
 - [https://osm.etsi.org/wikipub/index.php/Creating_your_own_VNF_package_\(Release_THREE\)](https://osm.etsi.org/wikipub/index.php/Creating_your_own_VNF_package_(Release_THREE))
- Session 5 charm and descriptors
 - <https://github.com/AdamIsrael/osm-hackfest>

Example VNF Charms

- Using Ansible
 - <https://github.com/5GinFIRE/mano/tree/master/charms/ansible-charm>
- vpe-router, demoed at MWC 2016
 - <https://github.com/AdamiIsrael/vpe-router>
- Hackfest examples
 - <https://github.com/AdamiIsrael/osm-hackfest>



Open Source
MANO

The End

La fin